

Equations and inequalities 3F

1 a $3x + 2y = 6$ (1)

$x - y = 5$ (2)

Multiply equation (2) by 2:

$2x - 2y = 10$ (3)

Add equations (1) and (3):

$5x = 16$


$x = \frac{16}{5}, y = -\frac{9}{5}$

The solution is $P(\frac{16}{5}, -\frac{9}{5})$.

b $2y + 3x > x - y$ when the line L_1 is above the line L_2 :

$x < \frac{16}{5}$

2 a i



ii $3x - 7 = 13 - 2x$


$5x = 20$

$x = 4, y = 5$

The lines intersect at (4, 5).

iii $f(x) \leq g(x)$ when the $f(x)$ is below $g(x)$, so $x \leq 4$

b i



2 b ii $8 - 5x = 14 - 3x$


$-2x = 6$

$x = -3, y = 23$

The lines intersect at (-3, 23).

iii $f(x) \leq g(x)$ when $f(x)$ is below $g(x)$, so $x \geq -3$

c i



ii $x^2 + 5 = 5 - 2x$

$x^2 + 2x = 0$

$x(x + 2) = 0$

$x = 0$ or $x = -2$


When $x = 0, y = 5$

When $x = -2, y = 9$

The lines intersect at (0, 5) and (-2, 9).

iii $f(x) \leq g(x)$ when $f(x)$ is below $g(x)$, so $-2 \leq x \leq 0$


d i



2 d ii $3 - x^2 = 2x - 12$
 $x^2 + 2x - 15 = 0$
 $(x + 5)(x - 3) = 0$
 $x = -5$ or $x = 3$
 When $x = -5$, $y = -22$
 When $x = 3$, $y = -6$
 The lines intersect at $(-5, -22)$
 and $(3, -6)$.

iii $f(x) \leq g(x)$ when $f(x)$ is below $g(x)$, so $x \leq -5$ or $x \geq 3$


e i



ii $x^2 - 5 = 7x + 13$
 $x^2 - 7x - 18 = 0$
 $(x - 9)(x + 2) = 0$
 $x = 9$ or $x = -2$
 When $x = 9$, $y = 76$
 When $x = -2$, $y = -1$
 The lines intersect at $(-2, -1)$
 and $(9, 76)$.

iii $f(x) \leq g(x)$ when $f(x)$ is below $g(x)$, so $-2 \leq x \leq 9$

f i




f ii $7 - x^2 = 2x - 8$
 $x^2 + 2x - 15 = 0$
 $(x + 5)(x - 3) = 0$
 $x = -5$ or $x = 3$
 When $x = -5$, $y = -18$
 When $x = 3$, $y = -2$
 The lines intersect at $(-5, -18)$
 and $(3, -2)$.

iii $f(x) \leq g(x)$ when $f(x)$ is below $g(x)$, so $x \leq -5$ or $x \geq 3$

3 a $3x^2 - 2x - 1 = x + 5$
 $3x^2 - 3x - 6 = 0$
 $x^2 - x - 2 = 0$
 $(x - 2)(x + 1) = 0$
 $x = 2$, $x = -1$


The points of intersection are $(2, 7)$ and $(-1, 4)$.



So the required values are $-1 < x < 2$

b $2x^2 - 4x + 1 = 3x - 2$
 $2x^2 - 7x + 3 = 0$
 $(2x - 1)(x - 3) = 0$
 $x = \frac{1}{2}$ or $x = 3$
 The points of intersection are $(\frac{1}{2}, -\frac{1}{2})$ and $(3, 7)$.


3 b



So the required values are $\frac{1}{2} < x < 3$


c $5x - 2x^2 - 4 = -2x - 1$
 $2x^2 - 7x + 3 = 0$
 $(2x - 1)(x - 3) = 0$
 $x = \frac{1}{2}$ or $x = 3$

The points of intersection are $(\frac{1}{2}, -2)$ and $(3, -7)$.




So the required values are $x < \frac{1}{2}$ or $x > 3$

d $\frac{2}{x} = 1$
 $x = 2$
 Point of intersection is $(2, 1)$




d So the required values are $x < 0$ or $x > 2$

e $\frac{3}{x^2} - \frac{4}{x} = -1$
 Multiply both sides by x^2
 $3 - 4x = -x^2$
 $x^2 - 4x + 3 = 0$
 $(x - 1)(x - 3) = 0$
 $x = 1$ or $x = 3$
 Points of intersection are $(1, -1)$ and $(3, -1)$



So the required values are $1 < x < 3$

f $\frac{2}{x+1} = 8$
 $2 = 8(x + 1)$
 $8x + 6 = 0$
 $x = -\frac{3}{4}$
 Point of intersection is $(-\frac{3}{4}, 8)$



So the required values are $x < -1$ or $x > -\frac{3}{4}$

Challenge

a $x^2 - 4x - 12 = 6 + 5x - x^2$
 $2x^2 - 9x - 18 = 0$
 $(2x + 3)(x - 6) = 0$
 $x = -\frac{3}{2}$ or $x = 6$

The points of intersection are
 $(-\frac{3}{2}, -\frac{15}{4})$ and $(6, 0)$.

b So the required values are $-\frac{3}{2} < x < 6$
 $\{x: -\frac{3}{2} < x < 6\}$